Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	5	(multiple adj2 replica adj2 server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/23 07:57
L2	3163	(track\$4 or report\$4 or display\$4 or notif\$7) same ((failed or unsuccessful or invalid) with (log\$3 or password or passphrase or id or identification))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/23 07:57
L3	312	( replica adj2 server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/23 07:59
L4	9	2 and 3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/23 08:00
L5	25814	(( replica or multiple or plurality or two or different) adj2 server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/23 08:00
L6	15	2 same 5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/23 08:00
L7	1	09/998389	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/23 08:04
L8	1105	726/4.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/23 08:04

		2 4 0	110 000:10	00	ON	2005/00/22 22 25
L9	35	2 and 8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/23 08:05
L10	558	713/156.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/23 08:05
L11	35	2 and 9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/23 09:37
L12	19	2 and 10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/23 09:09
L13	6	"6202158"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/23 09:09
S2	4	(("5559505") or ("5495235") or ("6266773") or ("6070244")).PN.	US-PGPUB; USPAT	OR	OFF	2005/09/12 13:41
<b>S</b> 3	3540	713/201.ccls.	US-PGPUB; USPAT	OR	ON	2005/04/27 16:01
54	2063	S3 and @ad<"20011101"	US-PGPUB; USPAT	OR	ON	2005/04/27 16:01
S5	1	S4 and (determin\$4 with (number near3 (failed or unsuccessful)) with attempt\$) with (id or identification or password or pin)	US-PGPUB; USPAT	OR	ON	2005/04/27 16:07
S6	13	(determin\$4 with (number near3 (failed or unsuccessful)) with attempt\$) with (id or identification or password or pin)	US-PGPUB; USPAT	OR	ON	2005/04/27 16:07
<b>S7</b>	15	(determin\$4 with (number near3 (failed or unsuccessful)) with attempt\$) with (id or identification or password or pin)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 16:17

	·			7		
S33	2	(("6405318") or ("6460141")).PN.	US-PGPUB; USPAT	OR	OFF	2005/09/13 07:28
S34	1	strikeout adj2 server	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 07:30
S37	124	((receiv\$4 ) with ((failed or unsuccessful) near3 (log\$1in or log\$1on or password or pin or id or identification)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 07:37
S39	35	((receiv\$4 ) with ((failed or unsuccessful) near3 (log\$1in or log\$1on or password or pin or id or identification))) same ((computers or servers))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 07:42
S40	6	(track\$4 with ((failed or unsuccessful) near3 (log\$1in or log\$1on or password or pin or id or identification))) same ((computers or servers))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 07:53
S41	26	(track\$4 with ((failed or unsuccessful) with (log\$1in or log\$1on or password or pin or id or identification))) same ((computers or servers))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 08:02
S42	99	(track\$4 or receiv\$4 or accept\$4) with ((failed or unsuccessful) with (log\$1in or log\$1on or password))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 08:17
S43	348923	((plurality or two or multiple or different) with (computers or servers))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 08:17
S44	78	S42 and S43	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 08:04

S45	42	S44 and @ad<"20011001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 08:04
S46	7	(track\$4 or receiv\$4 or accept\$4) with ((failed or unsuccessful) with (log\$1in or log\$1on or password)) same ((plurality or two or multiple or different) with (computers or servers))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 08:09
S47	54	((failed or unsuccessful) with (log\$1in or log\$1on or password)) same ((plurality or two or multiple or different) with (computers or servers))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 08:15
S48	7	((plurality or two or multiple or different) with (computers or servers)) same (track\$4 or receiv\$4 or accept\$4) with ((failed or unsuccessful) with (log\$1in or log\$1on or password))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 09:21
S49	11	((plurality or two or multiple or different) with (computers or servers or device)) same (track\$4 or receiv\$4 or accept\$4) with ((failed or unsuccessful or invalid) with (log\$1in or log\$1on or password))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 09:23
S50	12901	(multiple or two or different or several) with ((access\$4 or log\$1in or log\$1on) adj2 (computer or server or device))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 11:44
S51	5122	(multiple or two or different or several) near3 ((access\$4 or log\$1in or log\$1on) adj2 (computer or server or device))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 12:06
S52	158	(multiple or two or different or several) near3 ((access\$4 or log\$1in or log\$1on) adj2 (computer or server or device)) and @ad<"20011001" and "713"/.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 11:49

r	1					
S53	224	"726"/2.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 12:06
S54	3189	(multiple or two or different or several) near3 ((access\$4 or log\$1in or log\$1on) adj2 (computer or server or device)) and @ad<"20011001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 12:07
S55	1085	(multiple or two or different or several) adj2 ((access\$4 or log\$1in or log\$1on) adj2 (computer or server or device)) and @ad<"20011001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 12:08
S56	365	(multiple or two or different or several) adj2 ((access\$4 or log\$1in or log\$1on) adj2 (computer or server )) and @ad<"20011001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 12:07
S58	692	((failed or unsuccessful) with (log\$1in or log\$1on or password))and @ad<"20011001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 12:09
S59	17	S55 and S58	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 12:09
S60	1	(centralized with (log\$4 or stor\$4)) same ((failed or unsuccessful) with login)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 14:34
S61	2	(centralized with (log\$4 or stor\$4)) same ((failed or unsuccessful) with (login or password or pin or id or identification))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 14:37

S62	32	(central\$4 with (log\$4 or stor\$4)) same ((failed or unsuccessful) with (login or password or pin or id or identification))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 14:42
S63	82	(central\$4 with (log\$4 or stor\$4)) same ((failed or unsuccessful or invalid) with (login or password or pin or id or identification))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 14:53
S64	0	(((log\$4 or record\$4 or stor\$4) near3 (failed or unsuccessful or invalid)) with (login or password or pin or id or identification)) same ("from" adj2 (multiple or two or different or several) adj2 (server or computer or device))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 14:57
S65	12	(centralized with (event adj2 log))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/22 06:29
S66	1	("6910135").PN.	US-PGPUB; USPAT	OR	OFF	2005/09/22 06:37
S67	313	(revok\$7 with (password or passphrase or id or identification))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/22 06:43
S68	60	(sum\$4 or adding or add or total\$4) with ((failed or unsuccessful or invalid) near3 (log\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/22 06:40
S69	75	(sum\$4 or adding or add or total\$4 or calculat\$4) with ((failed or unsuccessful or invalid) near3 (log\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/22 06:59
S70	2	S67 same S69	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/22 06:43

						<del></del>
S71	2	S67 and S69	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/22 06:43
S72	9	(revok\$7 with (password or passphrase or id or identification)) same ((two or different or another or multiple) near3 (device or computer or server))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/22 06:44
S73	4	(sum\$4 or adding or add or total\$4 or calculat\$4) with ((failed or unsuccessful or invalid) near3 (log\$3)) same ((two or different or another or multiple) near3 (device or computer or server))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/22 06:50
S74	4	(sum\$4 or adding or add or total\$4 or calculat\$4) with ((failed or unsuccessful or invalid) near3 (log\$3 or password or passphrase or id or identification)) same ((two or different or another or multiple) near3 (device or computer or server))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2005/09/22 06:51
S75	37	(sum\$4 or adding or add or total\$4 or calculat\$4) same ((failed or unsuccessful or invalid) with (log\$3 or password or passphrase or id or identification)) same ((two or different or another or multiple) near3 (device or computer or server))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/22 06:52
S76	24	(sum\$4 or adding or add or total\$4 or calculat\$4) same ((failed or unsuccessful or invalid) with (log\$3 or password or passphrase or id or identification)) same ((two or different or another or multiple) near3 ( computer or server))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/22 06:54
S77	84	(sum\$4 or adding or add or total\$4 or calculat\$4) with ((failed or unsuccessful or invalid) near3 (log\$3 or password or passphrase))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/22 07:00
S85	14	(receiv\$4 or get\$4) with ((failed or unsuccessful or invalid) with (log\$3 or password or passphrase)) same (((two or different or another or multiple or plurality) near3 (device or computer or server)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/22 07:28

						<u> </u>
S86	1	("6064656").PN.	US-PGPUB; USPAT	OR	OFF	2005/09/22 07:17
S87	38	(centralized with (event adj2 log\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/22 07:29
S89 	1	(centralized with (event adj2 log\$4)) same ((failed or unsuccessful or invalid) with (log\$3 or password or passphrase or id or identification))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/22 07:41
S90	1	09/909524	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/22 07:37
S91	6	(centralized with (event adj2 log\$4)) and ((failed or unsuccessful or invalid) with (log\$3 or password or passphrase or id or identification))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/22 09:16
S92	506	(track\$4 or report\$4 or display\$4 or notif\$7) with ((total or all or add or sum) and ((failed or unsuccessful or invalid) with (log\$3 or password or passphrase or id or identification)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/22 09:18
S93	39	(track\$4 or report\$4 or display\$4 or notif\$7) with ((total or all or add or sum) same ((failed or unsuccessful or invalid) with (log\$3 or password or passphrase or id or identification)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/22 09:22
S95	6	(track\$4 or report\$4 or display\$4 or notif\$7) same ((failed or unsuccessful or invalid) with (log\$3 or password or passphrase or id or identification)) same ((each or every or on) near3 (server or computer or workstation))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/22 09:28
S96	17	(track\$4 or report\$4 or display\$4 or notif\$7) same ((failed or unsuccessful or invalid) with (log\$3 or password or passphrase or id or identification)) same ((each or every or on) with (server or computer or workstation))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/23 07:57

S97	18	"6405318"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/22 12:25
S98	2	(("6405318") or ("6460141")).PN.	US-PGPUB; USPAT	OR	OFF	2005/09/22 13:10